

**Approved Works Under District Plan Scheme for the Year 2017-18**

| Sr. No. | Block | Name of Village / City | Sector         | Comp. | Name of work  | Approved Cost (Rs. in lakh) |
|---------|-------|------------------------|----------------|-------|---|-----------------------------|
| 1       | Alewa | Badhana                | Drinking water | Gen.  | Installation of Deep Tubewell near Govt. High School on Dadhola way             | 4.00                        |
| 2       | Alewa | Sandil                 | Drinking water | Gen.  | Installation of Deep Tubewell   | 6.52                        |
| 3       | Alewa | Naguran                | Drinking water | Gen.  | Installation of Tube well in Govt. Sr. Sec. Boys School                         | 0.50                        |
| 4       | Alewa | Dilluwala              | Education      | Gen.  | Beautification and to create infrastructure in Kasturba Gnadhi Balika Vidyalaya | 3.00                        |
| 5       | Alewa | Kuchrana Kl.           | Others         | SC    | Compl. of Community Center in Harijan Basti                                     | 1.69                        |
| 6       | Alewa | Dudana                 | Health         | Gen.  | Const of B/wall in Sub Health Center  | 0.50                        |
| 7       | Alewa | Alewa                  | Health         | Gen.  | Reparing of Sub Health Center   | 0.25                        |
| 8       | Alewa | Bhigana                | Health         | Gen.  | Reparing of Sub Health Center   | 0.50                        |
| 9       | Alewa | Alewa                  | ICDS           | Gen.  | Const. of AWC   | 9.95                        |
| 10      | Alewa | Naguran                | Street & drain | Gen.  | Const. of IPB Street on Jai Singh to Govt. School                               | 4.00                        |
| 11      | Alewa | Dahola                 | Street & drain | Gen.  | Const of ILPB Street from Water Supply to h/o Raldu s/o Mana Pandit             | 9.00                        |
| 12      | Alewa | Alewa                  | Street & drain | SC    | Const. of ILPB Street from Main Road to Turi Shed Near Gaushala                 | 5.00                        |
| 13      | Alewa | Bhigana                | Street & drain | SC    | Const. of two Streets in Balmiki Mohalla with drain                             | 5.00                        |
| 14      | Alewa | Bhigana                | Vetrinary/ICDP | Gen.  | Const. of GVD   | 10.00                       |
| 15      | Jind  | Sunderpur              | Drinking water | Gen.  | Laying of drinking water pipe lines   | 8.80                        |
| 16      | Jind  | Ikkas                  | Others         | Gen.  | Beautification and to create infrastructure in Govt. Primary School             | 3.00                        |
| 17      | Jind  | Gulkani                | Drinking water | Gen.  | Install. of Tubewell 3500 ft.   | 3.50                        |
| 18      | Jind  | Kandela                | Others         | Gen.  | B/Wall of chabutra (Kandela Khap)   | 6.00                        |
| 19      | Jind  | Kandela                | Education      | SC    | Const. of three rooms in Govt. Sr. Sec. School                                  | 10.00                       |
| 20      | Jind  | Mando Kheri            | Others         | Gen.  | Const. of B/Wall of Shamshan Ghat   | 4.00                        |
| 21      | Jind  | Rajpura Bhain          | Others         | Gen.  | Const of R/wall of pond   | 5.00                        |
| 22      | Jind  | Radhana                | Others         | Gen.  | Const. of B/Wall of Kabristan   | 7.00                        |
| 23      | Jind  | Gobindpura             | Others         | Gen.  | Installation of light   | 1.00                        |
| 24      | Jind  | Barah Kalan            | Others         | Gen.  | Const. of B/Wall of Kabristan   | 6.00                        |
| 25      | Jind  | Julani                 | Others         | SC    | Const. of Harijan Shamshan Ghat   | 5.00                        |
| 26      | Jind  | Barsola                | Others         | SC    | Compl. of Balmiki Chaupal   | 3.47                        |
| 27      | Jind  | Dalamwala              | Others         | SC    | Const. of B/Wall & Shed of Shamshan Ghat  | 5.00                        |
| 28      | Jind  | Pindara                | Health         | Gen.  | Reparing of Sub Health Center   | 2.00                        |
| 29      | Jind  | Aasan                  | ICDS           | Gen.  | Const. of AWC   | 9.95                        |
| 30      | Jind  | Ikkas                  | ICDS           | SC    | Const. of AWC   | 9.95                        |
| 31      | Jind  | Igrah                  | ICDS           | SC    | Const. of AWC   | 9.95                        |
| 32      | Jind  | Many villages          | Irrigation     | SC    | Extension of water course outlet RD 62417/R, Jind Disty. No. 4                  | 3.10                        |
| 33      | Jind  | Kandela                | Irrigation     | SC    | Replacing pipe culvert into Slab culvert at RD 76775 of Jind Disty. No. 5       | 9.95                        |
| 34      | Jind  | Nidani                 | Sports         | Gen.  | Compl. of Kushti Hall   | 0.50                        |
| 35      | Jind  | Dariyawala             | Others         | Gen.  | Const. of shamshan ghat   | 2.30                        |
| 36      | Jind  | Intakkhurd             | Others         | Gen.  | B/wall of shamshan ghat   | 3.00                        |
| 37      | Jind  | Bohatwala              | Street & drain | Gen.  | Const. of street from Ramdiya to Bandu S/O Jogiram                              | 2.00                        |
| 38      | Jind  | Barodi                 | Others         | Gen.  | Const. of animal stand  | 0.52                        |

**Approved Works Under District Plan Scheme for the Year 2017-18**

| Sr. No. | Block   | Name of Village / City | Sector         | Comp. | Name of work   | Approved Cost (Rs. in lakh) |
|---------|---------|------------------------|----------------|-------|--|-----------------------------|
| 39      | Jind    | Haibatpur              | Street & drain | Gen.  | Const. of Street from h/o Rampal to h/o Hawa Singh Mandir wali Gali                              | 2.50                        |
| 40      | Jind    | Brah Kl.               | Street & drain | Gen.  | Const. of ILPB Street from h/o Balkishan s/o Jile Ram to h/o Ramesh s/o Shivdhan                 | 3.00                        |
| 41      | Jind    | Ikkas                  | Street & drain | Gen.  | Const. of ILPB Street from h/o Birbhan s/o Abhichand to h/o Nihal Singh s/o Sahi Ram             | 4.00                        |
| 42      | Jind    | Barah Kalan            | Street & drain | Gen.  | Const. of Nala from h/o Ramjawari s/o Meetu to h/o Hawa Singh                                    | 5.00                        |
| 43      | jind    | Dalamwala              | Others         | Gen.  | Pipline(till pond)   | 2.00                        |
| 44      | Jind    | Radhana                | Street & drain | Gen.  | Const. of Street from h/o Mehar Singh s/o Chajju to h/o Karan s/o Risala                         | 1.50                        |
| 45      | Jind    | Pindara                | Street & drain | Gen.  | Const. of Street from h/o Dalbir s/o Barkha to h/o Harikesh s/o Barkha                           | 2.03                        |
| 46      | Jind    | Bishanpura             | Street & drain | SC    | Const. of Street from Balmiki Chaupal via h/o Ranbir S/o Shoba Chand to h/o Kanwar Singh Balmiki | 5.00                        |
| 47      | Jind    | Jhanj                  | Others         | SC    | Submarshible pump  | 2.50                        |
| 48      | Jind    | Radhana                | Vetrinary/ICDP | Gen.  | Const. of Cow Ghat at Main Pond  | 3.00                        |
| 49      | Jind MC | Jind                   | Others         | Gen.  | Parking shed for Distt. Bar Advocates  | 5.00                        |
| 50      | Jind MC | Arjun stadium          | Sports         | Gen.  | Submarshible for Volley ball court   | 0.75                        |
| 51      | Jind MC | Jind MC                | Education      | Gen.  | Extension of District library  | 10.00                       |
| 52      | Jind MC | Herbal Park            | Others         | Gen.  | Beautification and to create infra. In Harbel park and rani talav each three lakh                | 6.00                        |
| 53      | Jind MC | Civil Hospital         | Health         | SC    | Const of Toilet and Parking Stand For Patients in Civil Hospital                                 | 6.00                        |
| 54      | Jind MC | W.No. 13               | MC other works | Gen.  | Const. of Kashyap Community Centre W.No. 13  | 8.00                        |
| 55      | Jind MC | Near Hansi Branch      | MC other works | Gen.  | Installation of light in Kabristan near Hansi branch canal                                       | 1.50                        |
| 56      | Jind MC | Near Red Corss         | MC other works | Gen.  | Const. of Rangshala  | 5.00                        |
| 57      | Jind MC | Om Nagar               | MC other works | SC    | Const. of Balmiki Chaupal at Om Nagar, Jind  | 3.00                        |
| 58      | Jind MC | Shyam Nagar            | MC other works | SC    | Const. of Solgar Chaupal at Shyam Nagar, Jind  | 4.00                        |
| 59      | Jind MC | DC Colony              | Sports         | Gen.  | Conversion of Badminton Court from wooden floor to Syntetic floor in D.C. Colony                 | 4.00                        |
| 60      | Jind MC | Arjun Stadium          | Sports         | SC    | Installation of Boxing Ring in Arjun Stadium   | 2.00                        |
| 61      | Jind MC | Jind MC                | Street & drain | Gen.  | ILPB Street from Court Complex (house of Jaswant Singh) to house of Virender Lather              | 6.50                        |
| 62      | Jind MC | Ram Colony             | Street & drain | Gen.  | Const. of Street from h/o Nehru to Bahadur Singh Yadav   | 8.00                        |
| 63      | Jind MC | W.No. 21               | Street & drain | Gen.  | Compl. of Street from BSNL Tower to h/o Pawan s/o JaiNarayan W.No. 21                            | 1.50                        |
| 64      | Jind MC | W.No. 25               | Street & drain | Gen.  | Const. of Street from h/o Vajir to h/o Mahender  | 6.00                        |
| 65      | Jind MC | W.No. 11               | Street & drain | Gen.  | Const. of ILPB Street from Main Road to Shop of Mahesh Back Side of Kath Mandi in W.No. 11       | 0.84                        |
| 66      | Jind MC | Sunder nagar           | Others         | SC    | Community Center   | 7.00                        |

**Approved Works Under District Plan Scheme for the Year 2017-18**

| Sr. No. | Block   | Name of Village / City | Sector         | Comp. | Name of work  | Approved Cost (Rs. in lakh) |
|---------|---------|------------------------|----------------|-------|---|-----------------------------|
| 67      | Jind MC | ward No. 23            | Street & drain | Gen.  | New krishana Colony and Ram Colony  | 6.00                        |
| 68      | Jind MC | ward No. 15            | Others         | Gen.  | Ashari Ghat, Aphari Mohalla, Soh-5 (LED Lights)   | 4.00                        |
| 69      | Jind MC | Udham Singh Chowk      | Street & drain | SC    | Const. of Nala side by side of Udham Singh Road from Jind Road to Udham Singh Chowk         | 4.00                        |
| 70      | Jind MC | Jayanti Devi Temple    | Street & drain | SC    | Const. of Service Road along Canal adjacent Jayanti Devi Temple                             | 10.00                       |
| 71      | Jind MC | Kodhi Basti            | Street & drain | SC    | Const. of Rasta (ILPB) from Canal Service Road to Lal bahadur Shastri Colony ( Kodhi Basti) | 10.00                       |
| 72      | Jind MC | Patiala Chowk          | Street & drain | SC    | Const. of Street from Railway Road to Sardar Trilochan Singh at Patiala Chowk Jind          | 3.23                        |
| 73      | Julana  | Hathwala               | Drinking water | Gen.  | Laying of drinking water pipeline for School  | 1.00                        |
| 74      | Julana  | Nandgarh               | Education      | Gen.  | Install. of Jhullas in Govt. Primary School   | 3.00                        |
| 75      | Julana  | Pauli                  | Education      | SC    | Const. of Stage in Govt. School   | 2.00                        |
| 76      | Julana  | Khema Kheri            | Education      | SC    | Repair of Govt. School  | 6.91                        |
| 77      | Julana  | Gatuali                | Education      | SC    | Install. of Jhulas in Govt. Primary School  | 4.50                        |
| 78      | Julana  | Merhra                 | Others         | Gen.  | Const. of Cow Ghat & /R/Wall of pond  | 4.79                        |
| 79      | Julana  | Anoopgarh              | Others         | SC    | Const. of Harijan Shamshan Ghat   | 2.00                        |
| 80      | Julana  | Khema Kheri            | Others         | SC    | Const. of Harijan Shamshan Ghat   | 2.00                        |
| 81      | Julana  | Malvi                  | Health         | Gen.  | Fixing of doors and Toilet in Sub Health Center   | 2.50                        |
| 82      | Julana  | Shamlo Kalan           | Irrigation     | SC    | Extension of water course outlet RD 73467/R, Sunder Sub Branch                              | 5.94                        |
| 83      | Julana  | Kherenti               | Irrigation     | SC    | Extension of water course outlet RD 96587/R, Sunder Sub Branch                              | 9.00                        |
| 84      | Julana  | Budha khera            | Others         | Gen.  | Comp. of Gen. Choupal   | 1.00                        |
| 85      | Julana  | Budha khera            | Others         | SC    | Comp. of Dhanak Choupal   | 1.00                        |
| 86      | Julana  | Ramkali                | Others         | Gen.  | Const. of Pakka Rasta from main Gate to Stage & Office in Govt. School                      | 1.00                        |
| 87      | Julana  | Padana                 | Street & drain | Gen.  | Const. of ILPB Street from h/o Narender s/o Ramphal to h/o Joginder s/o Zile Singh          | 4.00                        |
| 88      | Julana  | Anoopgarh              | Street & drain | Gen.  | Const. of drainage Nala along side of Main Gali   | 1.50                        |
| 89      | Julana  | Desh Khera             | Street & drain | Gen.  | Const. of drain for cleaning the dirty water  | 3.00                        |
| 90      | Julana  | Brar Khera             | Street & drain | Gen.  | Const. of ILPB Street from h/o Joginder s/o Kabool Singh to Main Road                       | 2.00                        |
| 91      | Julana  | Khera Bakhta           | Street & drain | Gen.  | Const. of drainage facility   | 5.00                        |
| 92      | Julana  | Merhra                 | Street & drain | Gen.  | Const. of Street from School to Ring Road   | 3.50                        |
| 93      | Julana  | Shadipur               | Street & drain | Gen.  | Const. of ILPB Street from Main Road to Kanya Pathshala                                     | 4.00                        |
| 94      | Julana  | Buradehar              | Street & drain | Gen.  | Const. of ILPB Street from Mandir to h/o Sabra  | 4.00                        |
| 95      | Julana  | Sahdipur               | Street & drain | SC    | Const. of Street from PWD Road to Minor   | 4.00                        |
| 96      | Julana  | Sahdipur               | Street & drain | SC    | Const. of Nala from Old Bus Stand to Minor  | 4.00                        |

**Approved Works Under District Plan Scheme for the Year 2017-18**

| Sr. No. | Block     | Name of Village / City | Sector         | Comp. | Name of work   | Approved Cost (Rs. in lakh) |
|---------|-----------|------------------------|----------------|-------|--|-----------------------------|
| 97      | Julana    | Jai Jai Wanti          | Street & drain | SC    | Const. of Street from Rohtak Road to Village Jai Jai Wanti                                   | 7.00                        |
| 98      | Julana    | Nandgarh               | Vetrinary/ICDP | Gen.  | Const. of Shed in Gauskhala  | 3.00                        |
| 99      | Julana    | Buana                  | Vetrinary/ICDP | Gen.  | Const. of Vety. Hospital   | 5.00                        |
| 100     | Julana    | Sirsh kheri            | Others         | Gen.  | Const. of gen. chopal  | 8.00                        |
| 101     | Julana    | Dhigana                | Vetrinary/ICDP | SC    | Compl. of B/Wall & Toilets in GVD  | 4.00                        |
| 102     | Julana MC | Community Centre       | Education      | SC    | Const. of Library room in Community Centre   | 4.29                        |
| 103     | Julana MC | Kabristan              | MC other works | Gen.  | Compl. of B/Wall of Kabritan   | 5.82                        |
| 104     | Julana MC | Ward No. 13            | Others         | SC    | Const. of bhawan(Ambedkar)   | 1.30                        |
| 105     | Julana MC | W.No. 1                | Street & drain | Gen.  | Const of Street from Hansi Road to H/o Rampal S/o Ramkishan via Land Mortgage Bank in ward 1 | 2.50                        |
| 106     | Narwana   | Danoda Kl.             | Education      | Gen.  | Beautification and infrastructure creat. in Govt. Primary School                             | 4.50                        |
| 107     | Narwana   | Danoda Kl.             | Education      | Gen.  | Const. of Pakka Rasta in Govt. Primary School  | 2.50                        |
| 108     | Narwana   | Fulia Kd.              | Education      | Gen.  | Beautification and infrastructure creat. in Kasturba Gandhi Balika Vidyalaya                 | 3.00                        |
| 109     | Narwana   | Bhana Brahmana         | Education      | SC    | Const. of B/Wall of Govt. School   | 5.00                        |
| 110     | Narwana   | Dhanauri               | Others         | Gen.  | Const. of General Chaupal  | 7.00                        |
| 111     | Narwana   | Kalwan                 | Others         | Gen.  | Const. of B/Wall & Rasta of Shamshan Ghat  | 5.00                        |
| 112     | Narwana   | Padarth khera          | Others         | Gen.  | Const. of B/wall of Shamshan Ghat  | 4.00                        |
| 113     | Narwana   | Kaloda Kd.             | Others         | Gen.  | Compl. of Genaral Chaupal  | 3.00                        |
| 114     | Narwana   | Napewala               | Others         | Gen.  | Compl. Of GVD  | 6.00                        |
| 115     | Narwana   | Sacha Khera            | Others         | SC    | Const of B/wall and Gate of Balmiki Chaupal  | 2.00                        |
| 116     | Narwana   | Frain Kl.              | Others         | SC    | Const. of B/Wall & Shed in Shanshan Ghat for Chamar  | 1.00                        |
| 117     | Narwana   | Phulian Kalan          | Others         | SC    | Const. of B/Wall of Harijan Shamshan Ghat  | 4.00                        |
| 118     | Narwana   | Dhokal                 | Others         | SC    | Const. of Shed in Shamshan Ghat  | 2.00                        |
| 119     | Narwana   | Karamgarh              | Others         | SC    | Const. of B/wall of SC Shamshan Ghat   | 3.00                        |
| 120     | Narwana   | Gurthali               | Others         | SC    | Const. of Shed in Shamshan Ghat  | 3.00                        |
| 121     | Narwana   | Danoda Kl.             | Others         | SC    | Const. of Balmiki Chaupal  | 4.00                        |
| 122     | Narwana   | Bhikhewala             | Health         | Gen.  | Const. of two rooms in PHC   | 5.00                        |
| 123     | Narwana   | Dhamtan Sahib          | Health         | SC    | Const. of baranda in PHC   | 1.77                        |
| 124     | Narwana   | Karamgarh              | ICDS           | SC    | Const. of AWC  | 9.95                        |

**Approved Works Under District Plan Scheme for the Year 2017-18**

| Sr. No. | Block      | Name of Village / City | Sector         | Comp. | Name of work  | Approved Cost (Rs. in lakh) |
|---------|------------|------------------------|----------------|-------|---|-----------------------------|
| 125     | Narwana    | Julhera                | Sports         | Gen.  | Const. of Gym room in stadium   | 3.00                        |
| 126     | Narwana    | Danoda Kd.             | Street & drain | Gen.  | Const. of Nala near Main Road   | 4.00                        |
| 127     | Narwana    | Belarkhan              | Street & drain | Gen.  | Const. of ILPB Street from PWD Main Road to Talab via h/o Ajmer Singh                         | 2.50                        |
| 128     | Narwana    | Badhowala              | Street & drain | Gen.  | Const. of ILPB Street from h/o Balwan Fauji to h/o Kapoora s/o Madhe Ram                      | 4.00                        |
| 129     | Narwana    | Rajgarh Dhobi          | Street & drain | Gen.  | Const. of Street from h/o Bhoop s/o Sh. Telu to Jal Ghar                                      | 5.00                        |
| 130     | Narwana    | Kalwan                 | Street & drain | Gen.  | Const. of Street Balbir numbardar to Rampal house   | 4.00                        |
| 131     | Narwana    | Kalwan                 | Street & drain | Gen.  | Const. of Street h/o Ramphal s/o Take to h/o Moman  | 3.00                        |
| 132     | Narwana    | Kalwan                 | Street & drain | Gen.  | Const. of Street from Mata road to h/o Jile singh s/o Tugal                                   | 3.00                        |
| 133     | Narwana    | Loan                   | Street & drain | Gen.  | Const. of Street from h/o Mahavir s/o Sawroop Chand to h/o Rajbir s/o Lachman                 | 6.00                        |
| 134     | Narwana    | Dhamtan Sahib          | Street & drain | SC    | Const. of Street in Harijan Basti   | 2.00                        |
| 135     | Narwana    | Dhamtan Sahib          | Street & drain | SC    | Const. of Street in Sainsi Patti from h/o Jaswant s/o Teka to h/o Pala s/o Jasmer             | 1.50                        |
| 136     | Narwana    | Rajgarh Dhobi          | Street & drain | SC    | Const. of ILPB Street from h/o Sh. Satbir s/o Heera to water works                            | 3.50                        |
| 137     | Narwana    | Dhakal                 | Street & drain | SC    | Const. of Street Sheokand Patti Harijan Mohalla from h/o Rammehar to h/o Pura Harijan Mohalla | 6.25                        |
| 138     | Narwana    | Dhakal                 | Transport      | SC    | Installation of Bus Queue Shelter in both side of Road  | 2.50                        |
| 139     | Narwana    | Jajanwala              | Vetrinary/ICDP | Gen.  | Compl. of B/wall & Toilets in GVD   | 4.00                        |
| 140     | Narwana    | Napewala               | Vetrinary/ICDP | Gen.  | Compl. of B/wall & Toilets in GVD   | 8.00                        |
| 141     | Narwana    | Dhamtan Sahib          | Vetrinary/ICDP | Gen.  | Const. of Cow Ghat  | 3.00                        |
| 142     | Narwana    | Padarth khera          | Vetrinary/ICDP | Gen.  | Const. of B/wall of Animal hospital   | 3.00                        |
| 143     | Narwana    | Dhamtan Sahib          | Vetrinary/ICDP | Gen.  | Const. of room for lab in Vetrinary hospital  | 5.89                        |
| 144     | Narwana    | Gurthali               | Vetrinary/ICDP | SC    | Const. of room in Animal Hospital   | 4.00                        |
| 145     | Narwana    | Danoda Kl.             | Vetrinary/ICDP | SC    | Const. of Lab room in Animla hospital   | 5.00                        |
| 146     | Narwana MC | W.No. 23               | MC other works | Gen.  | Const. of R/Wall of Jobe wala Pond in W. No.23  | 6.54                        |
| 147     | Narwana MC | W.No. 7                | MC other works | SC    | Const. of B/Wall of Shamshan Ghat in W. No. 7   | 3.50                        |
| 148     | Narwana MC | Shubash Nagar          | Street & drain | Gen.  | Const. of Street from h/o Rajpal s/o Jailal to Subhash Nagar                                  | 2.00                        |
| 149     | Narwana MC | Shubash Nagar          | Street & drain | Gen.  | Const. of Street from h/o Raghbir s/o Sh. Kishan Lal to Subhash Nagar                         | 4.00                        |

**Approved Works Under District Plan Scheme for the Year 2017-18**

| Sr. No. | Block      | Name of Village / City | Sector         | Comp. | Name of work   | Approved Cost (Rs. in lakh) |
|---------|------------|------------------------|----------------|-------|--|-----------------------------|
| 150     | Narwana MC | Mor Patti Narwana      | Street & drain | Gen.  | Const. of ILPB Street from h/o Satpal to Main Road via Pond in Mor Patti Narwana                         | 5.00                        |
| 151     | Narwana MC | W.No. 3                | Street & drain | Gen.  | Const. of ILPB Street in W.No. 3 Gali No.5, Dharam Singh Colony from Main Road to h/o Phool Kumar Saroha | 4.00                        |
| 152     | Narwana MC | Navdeep Stadium        | Others         | Gen.  | Installation of Lighting   | 4.00                        |
| 153     | Narwana MC | Civil Hospital         | Others         | Gen.  | Const. of Aurvedic Building  | 10.00                       |
| 154     | Pillukhera | Bhanbewa               | Others         | SC    | Beautification and to creat. Infa. In Govt. Primary School   | 3.00                        |
| 155     | Pillukhera | Ludana                 | Drinking water | Gen.  | Installation of Deep Tubewell  | 5.00                        |
| 156     | Pillukhera | Kharak Gagar           | Education      | Gen.  | Const. of B/Wall of Govt. School   | 4.00                        |
| 157     | Pillukhera | Gangoli                | Education      | SC    | Const of B/wall of Govt. School  | 4.00                        |
| 158     | Pillukhera | Bhambhewa              | ICDP           | SC    | B/wall of Pasuwara   | 4.50                        |
| 159     | Pillukhera | Ludana                 | Education      | SC    | Beautification and to create infrastructure in Govt. Primary School                                      | 4.00                        |
| 160     | Pillukhera | Dhatrath               | Others         | Gen.  | Compl of Chaupal in Singhmar Mohalla   | 5.00                        |
| 161     | Pillukhera | Kalwa                  | Others         | Gen.  | Const of Darkhajiya Chaupal .  | 1.00                        |
| 162     | Pillukhera | Ludhana                | Others         | Gen.  | Const. of Gen. Chaupal   | 5.30                        |
| 163     | Pillukhera | Baniya Khera           | Others         | Gen.  | Const. of B/Wall of Shamsha Ghat   | 2.00                        |
| 164     | Pillukhera | Morkhi                 | Others         | Gen.  | Const. of Community Centre in Pana   | 5.00                        |
| 165     | Pillukhera | Bhartana               | Others         | Gen.  | Retaring Wall of village pond  | 8.00                        |
| 166     | Pillukhera | Bhag Khera             | Others         | Gen.  | Const. of Old Age Home near Guga Mandir  | 5.00                        |
| 167     | Pillukhera | Bhag Khera             | Others         | SC    | Compl. of Harijan Chaupal  | 1.24                        |
| 168     | Pillukhera | Dhatrath               | Health         | Gen.  | Const of Toilet in labour room of CHC  | 1.00                        |
| 169     | Pillukhera | Ludana                 | Health         | Gen.  | Const of Toilet in Sub Health Center   | 0.35                        |
| 170     | Pillukhera | Retauli                | Health         | Gen.  | Reparing of Sub Health Center  | 0.30                        |
| 171     | Pillukhera | Kalawati               | ICDS           | Gen.  | Repair of Aaganwadi Centre near School   | 1.00                        |
| 172     | Pillukhera | Bhambhewa              | Sports         | SC    | Const. of room in Stadium  | 4.00                        |
| 173     | Pillukhera | Pillu Khera            | Sports         | SC    | Const. of Basket Ball Ground in Kanya Gurukul Mata Chandani Devi   | 3.00                        |
| 174     | Pillukhera | Kalawati               | Vetrinary/ICDP | Gen.  | Const. of Gau Ghat on Bhnai wala pond  | 1.00                        |
| 175     | Pillukhera | Rajana Kd.             | Vetrinary/ICDP | Gen.  | Const. of Vetrinary Hospital   | 2.00                        |

**Approved Works Under District Plan Scheme for the Year 2017-18**

| Sr. No. | Block      | Name of Village / City | Sector         | Comp. | Name of work  | Approved Cost (Rs. in lakh) |
|---------|------------|------------------------|----------------|-------|---|-----------------------------|
| 176     | Pillukhera | Bhag Khera             | Vetrinary/ICDP | SC    | Const. of B/Wall of Veterinary hospital                                       | 2.00                        |
| 177     | Safidon    | Anta                   | Education      | Gen.  | Const of Room in Govt. School   | 4.00                        |
| 178     | Safidon    | Sahanpur               | Education      | Gen.  | Compl. of School rooms in Govt. School  | 2.00                        |
| 179     | Safidon    | Bitani                 | Education      | SC    | Compl. of room in Govt. School  | 2.00                        |
| 180     | Safidon    | Basini                 | Education      | SC    | Beautification and to create infrastructure in Govt. Primary School           | 4.50                        |
| 181     | Safidon    | Chappar                | Others         | Gen.  | Const. of General Chaupal   | 1.00                        |
| 182     | Safidon    | Ramnagar               | Others         | Gen.  | Const. of General Chaupal   | 9.00                        |
| 183     | Safidon    | Sahanpur               | Others         | Gen.  | Const. of Street & B/Wall of Kabristan  | 4.00                        |
| 184     | Safidon    | Muana                  | Others         | Gen.  | Const. of B/Wall of Shamshan Ghat   | 5.00                        |
| 185     | Safidon    | Singhana               | Others         | SC    | Const. of B/Wall & shed in Shamshan Ghat                                      | 4.95                        |
| 186     | Safidon    | Ratta Khera            | Others         | SC    | Const. of Panchal Chaupal   | 5.00                        |
| 187     | Safidon    | Paju Kalan             | Others         | Gen.  | Const. of Gen. Chaupal (Gapper Chaupal)                                       | 5.00                        |
| 188     | Safidon    | Tito Kheri             | Others         | SC    | Const. of R/Wall in Animal Pond   | 3.50                        |
| 189     | Safidon    | Dharamgarh             | Others         | SC    | Const. of B/wall of Shamshan Ghat   | 4.00                        |
| 190     | Safidon    | Barod                  | ICDS           | SC    | Const. of AWC   | 9.95                        |
| 191     | Safidon    | Chappar                | Irrigation     | SC    | Const. of Culverts on drain in MG Gramin Basti                                | 0.50                        |
| 192     | Safidon    | Hatt                   | Sports         | SC    | Const. of Basket Ball Ground in Govt. Sr. Sec. School                         | 3.00                        |
| 193     | Safidon    | Bitani                 | Street & drain | Gen.  | Const. of ILPB Street in front of Kumhar Mohalla                              | 2.00                        |
| 194     | Safidon    | Malar                  | Street & drain | Gen.  | Const. of ILPB Street from School Main Gate to Main building                  | 2.00                        |
| 195     | Safidon    | Rampura                | Street & drain | Gen.  | Const. of Nala from h/o Amrik Nambardar near Main road                        | 0.80                        |
| 196     | Safidon    | Malar                  | Street & drain | Gen.  | Const. of Floor with ILPB in & in front General Chaupal Near Surta Nambardar  | 4.83                        |
| 197     | Safidon    | Paju Kalan             | Street & drain | Gen.  | Const of Street from H/o Parkash S/o Dhoop Singh to Rampura Rasta             | 3.00                        |
| 198     | Safidon    | Singhana               | Street & drain | SC    | Const. of Firni   | 5.00                        |
| 199     | Safidon    | Rodh                   | Street & drain | SC    | Const. of Street from h/o Deep Singh Rai Sikh to h/o Sadha Singh Kapoor Singh | 1.50                        |
| 200     | Safidon    | Rodh                   | Street & drain | SC    | Const. of Street from PWD Road to h/o Subhash s/o Ramsawroop Harijan          | 2.00                        |
| 201     | Safidon    | Paju Kl.               | Transport      | Gen.  | Const. of Bus Queue Shelter   | 1.00                        |
| 202     | Safidon    | Hoshiyapura            | Vetrinary/ICDP | Gen.  | Const of Vety. Hospatal   | 2.00                        |
| 203     | Safidon MC | Civil Hospital         | Health         | SC    | Whitewash of Civil Hospital   | 4.00                        |
| 204     | Safidon MC | Lahiya                 | MC other works | Gen.  | Const. of Lahiya Chaupalu near Treasury                                       | 4.50                        |
| 205     | Safidon MC | W.No. 3                | MC other works | SC    | Const. of Kitchen in Ravidass Bhawan in Ward No. 3                            | 2.00                        |
| 206     | Safidon MC | Govt College           | MC other works | SC    | Const. of Cycle Stand and Gate in Govt School                                 | 2.00                        |
| 207     | Safidon MC | Govt. Sr. Sec. School  | Sports         | Gen.  | Const. of Basket Ball Ground in Govt. Sr. Sec. School                         | 3.40                        |
| 208     | Safidon MC | Railway Station        | Street & drain | Gen.  | Const. of ILPB Street from Jind Safidon Road to Railway Station               | 4.00                        |
| 209     | Safidon MC | Bus Stand              | Transport      | Gen.  | Paving with Blocks at Safidon Bus Stand                                       | 3.00                        |

**Approved Works Under District Plan Scheme for the Year 2017-18**

| Sr. No. | Block      | Name of Village / City | Sector         | Comp. | Name of work  | Approved Cost (Rs. in lakh) |
|---------|------------|------------------------|----------------|-------|---|-----------------------------|
| 210     | Safidon MC | Ward No. 1             | MC other works | Gen.  | Const. of room in near Gorakhnath Mandir  | 2.29                        |
| 211     | Uchana     | Kahsaun                | Drinking water | Gen.  | To Provide Water facility in SHC  | 0.50                        |
| 212     | Uchana     | Ghogrian               | Drinking water | Gen.  | Install. of Deep Tubewell   | 10.00                       |
| 213     | Uchana     | Khatkar                | Drinking water | Gen.  | To Provide facility for drinking water  | 5.00                        |
| 214     | Uchana     | Saffa Kheri            | Education      | Gen.  | Beautification and to create infrastructure in Kasturba Gandhi Vidyalaya              | 4.50                        |
| 215     | Uchana     | Nachar khera           | Others         | Gen.  | Const of B/wall in Shamshan ghat  | 3.00                        |
| 216     | Uchana     | Karsindhu              | Others         | Gen.  | Const. of B/Wall of Shamshan Ghat near Main School of vill. Karsindhu                 | 2.50                        |
| 217     | Uchana     | Kheri Masania          | Others         | Gen.  | Const. of One room in Chaupal   | 3.00                        |
| 218     | Uchana     | Sudkain Kd.            | Others         | Gen.  | Const. of B/Wall of Shamshan Ghat   | 3.00                        |
| 219     | Uchana     | Karsindhu              | Others         | SC    | Compl. of Harijan Chaupal   | 2.00                        |
| 220     | Uchana     | Sudkain Kl.            | Others         | SC    | Const. of General Chaupal   | 6.28                        |
| 221     | Uchana     | Budain                 | Health         | Gen.  | Reparing of Sub Health Center   | 1.00                        |
| 222     | Uchana     | Mohangarh              | Health         | Gen.  | Fixing of doors and Water pump in Sub Health Center                                   | 0.50                        |
| 223     | Uchana     | Ghogrian               | Health         | Gen.  | To Provide Water facility in SHC  | 1.00                        |
| 224     | Uchana     | Ghaso Kd.              | ICDS           | SC    | Const. of AWC   | 9.95                        |
| 225     | Uchana     | Baroda                 | Irrigation     | Gen.  | Const of culvert bridge RD-55280  | 6.59                        |
| 226     | Uchana     | Badanpur               | Sports         | Gen.  | Install. of Boxing Ring   | 2.00                        |
| 227     | Uchana     | Dumarkhan Kl.          | Sports         | SC    | Const. of Wrestling Hall  | 24.00                       |
| 228     | Uchana     | Uchana Khurd           | Street & drain | Gen.  | Const of street from h/o Sanjeev & Shamsher Singh S/o Karam Singh Jaidar to main road | 6.50                        |
| 229     | Uchana     | Badanpur               | Street & drain | Gen.  | Const. of Street from Subhash Khati Wali  | 1.50                        |
| 230     | Uchana     | Ghogrian               | Street & drain | Gen.  | Const of Street/Rasta from Arya Mandir to H/o Rai Singh Arya                          | 4.00                        |
| 231     | Uchana     | Badanpur               | Street & drain | Gen.  | Const. of Street from Gulab Singh Wali Gali   | 2.00                        |
| 232     | Uchana     | Badanpur               | Street & drain | Gen.  | Const. of Jhimron Wali Street   | 3.00                        |
| 233     | Uchana     | Durjanpur              | Street & drain | Gen.  | Const of Street From PHC to village Road  | 5.34                        |
| 234     | Uchana     | Baroda                 | Street & drain | SC    | Const. of ILPB Street from h/o Duba Lohar to h/o Mewa Balmiki                         | 3.50                        |
| 235     | Uchana     | Baroda                 | Street & drain | SC    | Const. of ILPB Street from Maha Singh s/o Ramchand to Balimiki well                   | 3.50                        |
| 236     | Uchana     | Kabarcha               | Transport      | SC    | Install. of Bus Queue Shelter   | 1.56                        |
| 237     | Uchana     | Ghogrian               | Vetrinary/ICDP | Gen.  | Const of R/wall of Faru Patti pond with two Cow Ghats                                 | 5.00                        |
| 238     | Uchana     | Karsindhu              | Vetrinary/ICDP | Gen.  | Const of R/wall of Meham pond and one cow ghat  | 5.00                        |
| 239     | Uchana     | Uchana Khurd           | Vetrinary/ICDP | Gen.  | Const of Cow Ghat in Khalijo Pond   | 3.00                        |
| 240     | Uchana MC  | GGSSS                  | Education      | Gen.  | Const. of four rooms in GGSSS   | 10.35                       |